



SAE 0W20

140103801



## INNOVATION C5 MB SAE 0W20

This is a full synthetic engine oil that has been developed for the newest Mercedes Benz vehicles, Jaguar vehicles and Land Rovers. The ultra low viscosity ensures optimal fuel efficiency properties. This product contains of the MB 229.71 specification, ensuring that this oil works particularly well in the latest Mercedes Benz E-Class engines, including the 2017 E 220d 4MATIC All-Terrain 213.217 and

the 2017 d 4MATIC Coupe 238.315. This product is also very suitable for the use in a variety of Land Rovers and Jaguar XE, XK and F. This product has outstanding fluidity with cold start properties, can be used perfectly in city traffic and long distance driving, and ensures high levels of fuel saving.

GRADE	METHOD	UNIT	VALUE
Density @ 15 °C	ASTM D4052	kg/l	0,842
Kinematic viscosity @ 40 °C	ASTM D445	mm <sup>2</sup> /s	39,3
Kinematic viscosity @ 100 °C	ASTM D445	mm <sup>2</sup> /s	8,3
Viscosity Index	ASTM D2270		192
B.N. (HCL04 method)	ASTM D2896	mg KOH/g	7,8
Pour point	ASTM D6892	°C	-51
Flash point	ASTM D92	°C	220
Sulphated ash content	ASTM D874	%	0,79
CCS viscosity @ -15 °C	ASTM D5293	mPa.s	
CCS viscosity @ -20 °C	ASTM D5293	mPa.s	
CCS viscosity @ -25 °C	ASTM D5293	mPa.s	
CCS viscosity @ -30 °C	ASTM D5293	mPa.s	
CCS viscosity @ -35 °C	ASTM D5293	mPa.s	4450

*All data on this technical data sheet is indicative only.*

## Specifications

- ▷ ACEA C5
- ▷ API SN/RC
- ▷ JAGUAR STJLR.51.5122
- ▷ LAND ROVER ST-JLR.51.5122
- ▷ MB 229.71